
Approved For Release 2003/09/09 : CIA-RDP96-00788R001800090001-4 December 1982 Final Report REVISED JULY 1983 120 A REMOTE VIEWING EVALUATION PROTOCOL EDWIN C. MAY By: Prepared for: CONTRACT MDA908-82-C-0034



SAMCMP91.271 COPY 1032

CONTENTS

LIST	OF	ILLUSTF	OITAS	NS										•			•	•	•	•	•	•	•	•	•	•	iii	
		TABLES																								•	iv	
LISI						•																					1	
I	OB.	JECTIVE		•																							2	
II	IN	TRODUCT	ION		•	•																						
TII	AN.	ALYSIS 1	PROTO	CC)L								•				•	•	•	•	•	•	•	•	•	•	4	
		NCLUSIO						_																			11	
IA																											12	
		x AEV																									43	
Appe	ndi	x BSU	MMAR'	Y (ΟF	ΕV	'ΑΙ	.UA	T	[0]	ν'	ΓΕ	CH	NΙ	QU	E		•	•	•	•	•	•	•	•	•	43	
REFE	REN	ICES .				•			•								•	•	•	•	•	•	•	•	•	•	44	

FIGURES

1	Sample RV Assessment Form	-
A-1	Transcript 1	14
A-2	Transcript 2	15
A-3	Transcript 3	16
A-4	Transcript 4	17
A-5	Target Site Hangö	19
A-6	Target Site Fernando de Noronha	20
A-7	Target Site Inverness	21
A-8	Target Site Punkahariu	22

TABLES

1	Task-Defined Relevance Scale for Target Elements	6
2	Quality Assessment Scale	. 8
3	Numerical Score Conversion Table	8
A-1	Target Element Relevance Ratings for Hangö	23
4-2	Target Element Relevance Ratings for Inverness	23
A-3	Target Element Relevance Ratings for Fernando de	
	Noronha	24
A- 4	Target Element Relevance Ratings for Punkaharju	24
A- 5	RV Assessment Forms for Calibration of Remote Viewing	25
1- 6	A Rank Ordering of Weighted Averages	41

I OBJECTIVE

The objective of this task was to develop an evaluation procedure to assess the relative quality of a set of different remote viewing (RV) responses.

II INTRODUCTION

In addressing the remote viewing (RV) evaluation question, we consider two separate requirements:

- Absolute evaluation of a single response for a single unknown target.
- Relative evaluation of a set of responses for a series of known targets.

The first of these is of the most interest in an operational setting. As part of the RV enhancement task, we have considered this problem in two ways. First, by conducting an operational RV session between two calibration RV sessions, a tentative a priori assessment of operational efficacy can be determined. The evaluation is made on the basis of performance during the calibration sessions, and on the basis of adherence to a predetermined session structure.

A second technique for an a priori evaluation was explored as part of the Fiscal Year 1982 program in an audio-linguistic task. This task provided indications that careful linguistic analysis, when coupled with technical audio analysis, could yield an assessment in the absence of knowledge about the target.

Various techniques have been used in the past^{1*} in an attempt to solve the relative evaluation problem. The most common of these was the simple rank ordering of all responses, as assessed against all possible targets used in an experimental series. In this procedure, a judge is presented with n RV transcripts and n target sites. His task is to arrange

^{*} References are listed at the end of this report.

the transcripts in order of the best to least match for each of the n targets. A simple numerical counting procedure is then used to estimate the likelihood that the judge's transcript/target_matches are by chance alone. This early technique contained little systematic structure for determining the final order of matches.

The first step toward systematizing the rank order judging procedure was to preprocess the raw data in the transcript by "conceptualizing" both the verbal and the pictorial responses. Conceptualizing a transcript requires an analyst to paraphrase the transcript into a list of coherent statements. This concept list is then compared and scored concept-by-concept to each of the targets in the experiment. The resulting scores are averaged for each response, and all responses are rank-ordered on the basis of these scores. This improved analysis procedure was applied to a number of experiments within the Technology Transfer Task

The problem with the above technique is that there are no guidelines as to how the analyst should paraphrase the transcript; furthermore, the method in which the concepts are to be assessed against the targets remains undefined. The purpose of the Evaluation Task in FY 1982 was to identify a procedure that corrected these deficiencies.

III ANALYSIS PROTOCOL

To quantify the analysis procedure, we have divided the task into four separate areas: subject response, target/task definition, quality assessment, and numerical analysis. Figure 1 is a sample RV Assessment Form that has been designed to emphasize the separation of the analysis tasks. Each of the parts of the form are described below.

The subject's response should be prepared for analysis without any knowledge of either the target site or the overall task. The aim of this method of response preparation is to reduce a possibly redundant, rambling response to a coherent set of concepts. To meet this requirement we have developed a set of initial guidelines to the conceptualization procedure.

A concept is defined as a paraphrase of a single idea that has been expressed in the RV verbal or drawing response. That coherent idea should not be fragmented into component parts. For example, a response might be of the form, "I see a large, textured, gray building." The single concept that expresses this idea should be "large, textured, gray building," rather than four separate concepts—one for each word in the phrase. Each concept should be entered under the "Transcript Concept" column in the RV Assessment Form.

For this initial evaluation technique, a particular concept should be used only once in the analysis. (Some weighting factor proportional to concept frequency could be utilized, but, for the initial attempt, only unique concepts are used.) If in the construction of the transcript concept list a concept later in the transcript is a duplicate of an earlier one, it should be so noted by placing the concept number of the original concept in the "D" column.

Begin Time:	: ec:	Target:							1	V	Viewer:				1
End Time:		Method of Targeting:	of T	arget) Se				1	Da	Date:				ļ
Length of	Length of Session:	Session:	ا						ı	บี	Class:				1
Concept	Transcript Concept	ept	Ω	a,	ы	Element	70	Target	& P	Rele- vance (R)	Quality (Q)	Score	PxRxQ	Score	Normalized Score
1													0	0	0.00
2				_									1	1	0.36
က													7	2	0.71
4													က	3	1.07
3													4	4	1.43
9													ល	5	1.79
7													9	9	2.14
8													o o	7	2.50
6													6	8	2.86
10													10	6	3.21
11													12	10	3.57
12													15	11	3.93
13									:				16	12	4.29
14						,							20	13	79**
15													25	14	5.00
# of	Score 0 1 2	44 10	9	2	6	10	11	12 1	13 14		Weigh	Weighted Average	9 28		
										,					

TRANSCRIPT EVALUATION

To utilize an analysis procedure that is capable of quantitative assessment, it is necessary to define, in advance, what the goals of the assessment are. In the RV Assessment Form, columns "Element of Target" and "Relevance" are provided to clearly define the goal of the analysis. In the ideal situation, an RV target should be completely specified in advance. A target typically consists of a number of target elements, each of which may have varying relevance with regard to the overall RV task. For any given target, an independent list of target elements should be prepared. The selection of what constitutes a target element is left completely to the discretion of the task coordinator. The target element must be selected with little regard to task relevance (target element relevance is accounted for later). Because an RV target consists, in principle, of an essentially infinite number of possible elements, discretion needs to be exercised in the selection process.

For each target element identified for the site, the task coordinator must define a relevance rating. This rating allows the coordinator to tailor the analysis to the task requirements. Table 1 shows the scale that is used for the target element relevance rating.

Table 1

TASK-DEFINED RELEVANCE SCALE FOR TARGET ELEMENTS

Rating	Relevance Scale
1	A target element of trivial interest
2	A target element of minor interest
3	A target element of intermediate interest
4	A target element of major interest
5	A target element of key interest

For each transcript concept on the RV Assessment Form (Figure 1), the analyst should attempt to find the element on the list of target elements that he/she considers to be the best match. The analyst should be quite liberal in the concept/element matching (i.e., the quality of the match should be considered at this point in the analysis). If he/she is able to identify a target element that might be considered a match to the given concept, a 1 is placed in the "p" (present) column on the assessment form. If no element can be identified, a 0 is placed in the "p" column. After making a target element identification, the selected target element, and its corresponding overall relevance rating should be entered in the appropriate columns on the assessment form.

Having identified a corresponding target element for each concept, it is now appropriate to assess the quality of the match. The quality assessment is done on the basis of how well the single concept in question matches the selected target element. The judgement is to be made without regard to any other issues, such as importance of the concept to the transcript, or importance (relevance) of the target element to the target. Table 2 shows the quality assessment scale that is used for this part of the analysis. The appropriate quality score from Table 2 is entered in the "Quality" column on the RV Assessment Form for each concept for which a matching target element has been identified.

An intermediate numerical score is computed for each concept from the relevance and quality (Tables 1 and 2) evaluation as follows:

$$S' = P \times R \times Q$$

where P is the value in the "p" column (0 or 1); R is the relevance evaluation; and 0 is the quality assessment. S' can assume values ranging between 0 and 25. Table 3 demonstrates how to determine the final score, S, for a given value of S' for each concept. The conversion table is

Table 2

QUALITY ASSESSMENT SCALE

Rating	Discrimination Scale,
1	Poor description; only one or two aspects of the material match.
2	Fair description; a few aspects of the material match, but a large ambiguity exists.
3	Reasonable description; many aspects of the material match, but there remains some ambiguity.
4	Good description; a large number of aspects of the material matches, but it is possible to conceive of material that would be a better match.
5	Excellent description; all or nearly all aspects of the material match.

Table 3

NUMERICAL SCORE CONVERSION TABLE

$S = P \times R \times Q$	Score	Normalized Score
0	0	0.00
1	1	0.35
2	2	0.71
3	3	1.07
4	4	1.43
5	5	1.79
6	6	2.14
8	7	2.50
9	8	2.86
10	9	3.21
12	10	3.57
15	11	3.93
16	12	4.29
20	13	4.64
25	14	5.00

used to eliminate the nonuniformly-distributed gaps in scoring numbers that occur if one simply uses the product S'. Thus, the final score for each concept ranges from 0 to a maximum of 14. This conversion table is provided as part of the RV Assessment Form.

If an assessment of an individual concept is required, the final score for each concept/target-element match can be related to the quality assessment scale by using the conversions shown in the third column of Table 3 and on the assessment sheet. It should be noted, however, that the integer scores are used to simplify the remaining calculations.

To determine a final evaluation of the complete transcript assessed against a given target, a weighted average of concept scores is computed. To assist in the calculation of the weighted average, a tally box score is provided at the bottom of the RV Assessment Form. For each of the possible scores, 0 through 14, the number of concepts that attained that particular score are counted. For example, if 3 concepts were evaluated with a score of 12, a 3 is entered in the box below the 12 score. If the frequency of occurrence of score S_j is f_j, then the final weighted average is computed by

$$A_{k}' = \Sigma f_{j} \sqrt{f_{j}} X S_{j} / \Sigma f_{j} \sqrt{f_{j}}$$

$$A_{k} = 0.357 A_{k}'$$

The normalized, weighted average score, $\mathbf{A}_{\mathbf{k}}$, is entered in the weighted average box on the assessment sheet. The weighted average score has been normalized to be within the range

$$0 \le A_k \le 5.0$$

To aid in the interpretation of the result, the quality assessment scale (Table 2) can be used to assess quality of the match between the whole RV response and the given target site.

At this point in the evaluation protocol, the following options are available, depending on the task requirement:

- An n X n rank ordering on the basis of the weighted averages.
- A simple selection of the best match.
- A statistical evaluation on a concept-by-concept basis.

IV CONCLUSIONS

A protocol has been developed to address the relative evaluation portion of the overall RV transcript assessment problem. As a demonstration of the technique, we provide in Appendix A an analysis of a series of four remote viewings that were performed as calibrations

In this series the remote viewing products were of relatively high quality, but nonetheless require a sensitive technique to differentiate because of the similarity of the targets and, hence, of the descriptions. (The series was chosen primarily for that reason.) Application of the assessment technique resulted in the correct blind matching (highest scoring in matches versus cross matches) of three of the four.

Appendix B is a one page, step-by-step procedure for the application of this evaluation technique.

The material in this document thus constitutes an instruction manual or protocol for application of a step-by-step procedure for quantitative assessment of the relative target/transcript correlations of a series of transcripts matched into a series of targets.

Appendix A

EVALUATION OF FOUR COORDINATE REMOTE VIEWINGS

On 14 December 1981, four coordinate remote viewings were conducted as calibrations during remote viewing session targeted on client-designated sites of interest. The calibrations and the RV session were conducted at the client's organization and

RV session were conducted at the client's organization and were witnessed by client representatives. These four calibrations were chosen as a test bed for the evaluation procedure for the following reasons, (1) they were conducted and (2) the targets had many similar features, and would thus provide a sensitive test of the protocol.

Figures A-1 through A-4 are the transcripts that were presented to the analyst. They are exactly as they were when collected, except that the coordinates have been removed. Figures A-5 through A-8 are the National Geographic magazine targets that were used during the calibration sessions. Finally, the task coordinator provided Tables A-1 through A-4 as target element relevance scales for the four targets in Figures A-5 through A-8. This completes the information that was given to the analyst, and thus the analysis was carried out blind as to the matching target/ transcript pairs.

Table A-5 is a compilation of the completed work sheets that were used by the analyst in this evaluation. They are shown in groups by session number, and alphabetized on the four targets. (The task coordinator first randomized the transcript order then assigned the session number used above.) For each of the transcripts, the analyst simply included all phrases and all drawings as concepts. For example, seven concepts were found during Session 2.

All concepts were then analyzed as described in the text. The matching target element, its relevance rating, and the computed score are shown for all possible combinations of transcript/target pairs in Table A-5. The score distributions and their resulting weighted averages are also shown in Table A-5.

1) m TM Break.	14 Occ8 002 B 12.40
2 /	A up oclow.
32 rocky and coastal cets Break	B -




FIGURE A-1 TRANSCRIPT 1

14 Dec 81 002 B 3.23

Aolfondon 1777 Break.

A straight angles

manoch

2

Siivs._

Building

FIGURE A-2 TRANSCRIPT 2

Approved For Release 2003/09/09 : CIA-RDP96-00788R001800090001 / 4 M (C	14 D 1.13 (LASS
1 (A) Coolcl	midlig/door
2 A R	up
3 Anini B	45 UD
Jeeling of tom. Jeogen. Joning alefor with. Storing of the stor	wars of.

FIGURE A-3 TRANSCRIPT 3

16

19/2081 002 B 12.46 12.417 A clour jassel
B
A flat
B water ? 5.2 queen trees aut? aals winding river Jungle. Break A downfup.

FIGURE A-4(a) TRANSCRIPT 4






FIGURE A-4(b) TRANSCRIPT 4 (concluded)










FIGURE A-8 TARGET SITE PUNKAHARJU

Table A-1

TARGET ELEMENT RELEVANCE RATINGS FOR HANGÖ

Target Element	Relevance
_	
Town	5
Cold	4
Peninsula	5
Rocky	3
Vegetation	2
Вау	3

Table A-2

TARGET ELEMENT RELEVANCE RATINGS FOR INVERNESS

Target Element	Relevance
THE SOUR ELECTION	nerevance
City	5
River	4
Bridge	3
River banks	2
Vegetation	1

Table A-3

TARGET ELEMENT RELEVANCE PATINGS
FOR FERNANDO DE NORONHA

Target Element	Relevance
Island	5
Surf	3
Hills	4
Uninhabited	3
Mountain peak	3
Temperate climate	2
Vegetation	2
Ocean	4

Table A-4

TARGET ELEMENT RELEVANCE RATINGS
FOR PUNKAHARJU

Target Element	Relevance
Connect lakes	5
Town	4
Bridges	2
Cold	4
Vegetation	1
Islands	4

1		İ																		1.53
	12		Boore	0	1	2	3	¥	5	9	7	8	6	10	11	12	13	14	-	- 8e
	14 December 1981		PXBXG	0	1	2	အ	4	2	9	œ	6	10	12	15	16	20	25		Average
#002	есешр		z																i i	- 1
#	14 D	m	Score	-		2	0	12	-	12	5	0	သ	20					14	weignted
Viewer:	Date:	Class:	Quality (Q)	-		1		4	1	4	1		1	4						M N
. .	Δ	ິບ	Rele- vance (R)	1		5		4	-	4	2		2	2					14	
1	1	1																	13	
	92		Target	89.					rs										12	2
	Coordinates		of Ta	towe					towe										11	
!	2007		Element	hurch		sgu			hurch		ngs								10	
688		1	Ele	Twin church towers		Buildings		River	Twin church towers	River	Buildings		River	City					6	
Inverness	get1n		Δ,	1		1	0			-		0	1	-					8	
I	f Tar		Δ		1					-									7	
Target:	Wethod of Targeting:	Session:																	6	
T.	Wet	Sea							•										5	3
			ا پا																4	3
	i		oncept																3	
			Transcript C					rface											2	
٥			ransc			p		inte						city					1	5
12:40		: :	6	ire 1	ire 2	Up and down		Land/water interface	ire 3	ire 4	ing		18	tal c					0	2
 	1	Sesai		Picture	Picture	Up an	Rocky	Land/	Picture	Picture	Uprising	Cliff	Fjords	Coastal		-			Score	pts
Begin Time:	End Time:	Length of Session:	Concept Mumber	1	83	က	4	2	ω	-	œ	6	10	11	12	13	. 14	15	Sc	# of Concepts
									- 1								1	1		
Be	End	3	لــــا	l	J			N	OITAU	EAVI	таія	Уивс	IT.				·			of

RV ASSESSMENT FORMS FOR CALIBRATION OF REMOTE VIEWING TABLE A-5

Particle Concept Particle	Begin Time:	11 me:	12:40	\$			•	Target:	# 		Hangö			1	>	Viewer:	#005	2		
Transcript Concept D P Element of Target Page Series Page Seri	End Ti	: 98						Weth	od of	Targe	ting:	Coord	Inates		۵	Ì	4	ber 19	181	
The state of the force of the following states and down a	ength		ton:				•	Sess	1 on :			_			3	lass:		В		
ture 2 and down	Concel	1 J	1	ranscı	Hpt C	oncep			a	<u>a</u>		Element	7	1	Rele- vence (R)	Quality (Q)	Score	82	4	<u> </u>
ture 2 sud down by tube 3 sud down consist and down sud sud down sud down sud down sud down sud down sud down sud sud down sud down sud down sud down sud down sud down sud sud down sud down sud down sud down sud down sud down sud sud down sud down sud down sud down sud down sud down sud sud down sud down sud sud down sud sud down sud	1	Pict								-	Roc	ks			3	8	∞	0	₩	
and down downster interfaces 1 Rocks 5 1 5 2 2 2 2 2 2 2 2 2 2 2 2 3 3 4 </td <th>63</th> <td></td> <td>-</td> <td>ı</td>	63																		-	ı
State Angle Angl	က	up a	nd do	Ę							Bet	ldings			ç	1	'n	63		ī
ture 3	7		,								Roc	ks			င	ທ	11	<u>۾</u>	<u> </u>	
Charte 3 Charte 4 Charte 6	S2	-	l/wateı	r inte	rfaces					1	Cog	st			5	4	13	4	_	
141 ng. 1	9									-	Chu	rch			2		2	3	ļ	T
1 2 3 4 5 6 7 8 7 1 1 1 1 1 1 1 1 1	7									1	Bay				က	2	9	9	├	1
1 Coast S 2 9 9 8 S 1 S 2 9 9 8 S S S S S S S S S	00		sing							1	Slo	ų,	and		က	1	ю	∞	 	
rate 1 Bay 3 1 6 1 Caty 5 5 14 12 10 9 A standard Average 1	6		<u>.</u>							1	Coa	st			5	2	6	6.	ļ	,
stal city 1 City 5 5 14 12 10 11 <th< td=""><th>01</th><td></td><td>8. 8.</td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td>Bay</td><td>_</td><td></td><td></td><td>ဗ</td><td>1</td><td>က</td><td>10</td><td></td><td>1</td></th<>	01		8. 8.							1	Bay	_			ဗ	1	က	10		1
0 1 2 3 4 5 1	=			ity						1	Cit	y			S	5	14	13		1
0 1 2 1	12																	15		<u> </u>
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Weighted Average 2.	13											•		,				18	-	
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Weighted Average 2.	14																	%	 	T
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Weighted Average 2.	15								_									25	 	<u> </u>
4 2 1 1 2 1 1 1 1 1 1 2 2.		Score	0		2	3	4	5			<u> </u>		1 1	1	14	[]	1			, [
	Con	cepts		4	2	1	1	2	1					-		weı	gnred	Aver	age	•

Begin Time: 12:40 End Time:		: 40				1 1	Fi	Target: Fernando Method of Targeting:		Ferna rgeti	p opur	Fernando de Noronha rgeting: Coordin	Noronha Coordinates	88			Viewer: Date:	#002 14 December 1981)2 ember	1981		
Length of Session:Session:			Session:	Session:	Session:	Session:	ession:	.,'				-					Cluss:		æ			1
Concept Transcript Concept D	Transcript Concept					Q	Q	Δ	1	4	×	Element of Target	t of 1	arget		Rele- vance (R)	Quality (Q)	Score		PxffxQ	Bcore	٠
1 Picture 1										-	Hills	5 9				4	4	12		0	0	
2 Picture 2	a	a	1	1			-1	-												1	1	
3 Up and down	Up and down	uwop								-	Peak					က	-	9		8	81	
4 Rocky	Rocky									1	Coas	Coast line	n,				2	5		6	6	
5 Land/water interface	Land/water interface	ter interface	nterface	ace				ļ		-	Island	pu				ည	4	13	- 1	4	-	
6 Picture 3										1	Peak					3	2	9		2	so.	
7 Picture 4	1 1	1 1							\vdash	1	Island	pu				'n	1	ĸ		9	80	
8 Uprising	Uprising	29								1	Hills	κα.				4	7	7		80	7	
9 Cliff	Cliff									1	Peak					2	m	-=		6	æ	
10 Fjords	Fjords									1	Inlets	ts				ო	8	9		20	6.	,
11 Coastal city										0								0		12	01	
12																			,	15	n	
13																				16	12	
14											_									20	13	
15																				25	14	
Score 0 1 2 3 4 5 6	0 1 2 3 4 5	1 2 3 4 5	2 3 4 5	3 4 5	4 5	5		9		7	8	6	10	=	12	13	177	Weighted	t of t	1	Average	
# of Concepts $\begin{bmatrix} 1 & 2 & 3 & 1 & 3 & 1 & 2 \end{bmatrix}$	1 2 3 1 3 1	2 3 1 3 1	3 1 3 1	1 3 1	3 1	1		7		-				-		_	 				2	2.36

Method of Targeting: Coording Session: 1	V1cwer: #002	Date: 14 December 1981	Class: B	et vance Quality Score PARA Score	0 0 0	1	4 1 4 2 2	0 3	5 4 13 4 4	0 5 5	5 2 9 6 6	0 8 2	8 6	5 1 5 10 9	4 3 10 12 10	11 11	16 12	20 13	25 14
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ele	Session: 1 D P Element of	D P Element of		0			0		0		0	0						

Table A-5 (continued)

7	Begin Time:	 	15:	15:23			1	Tar	Target:		Inve	Inverness					Viewer:		#005	22		
-	End Time:						ı	Meti	Method of Targeting:	Tar	zetin	- 1	Coordinate	ıte		1	Date:	14	14 December 1981	nber 1	186	
-	Length of	f Session:	lon:				1	Ses	Session:			7				5	Cluss:		æ			
	Concept			Fransc	Transcript Concept	Conce	bt				4	Ele	Element of	f Target		Rele- vance (R)	Quality (Q)	y Score	į	PXRXQ	8core	
	1	Pict	Picture 1							1		River bank	bank			4	e.		10	0	0	
	81	Stra	ight	Straight angles	5 ξ					1		Butldings	lngs			5	1		2	1	-	
	က	Picture	ure 2							-		River				4	3	ı	10	2	8	
	4	River	Ļ							-		River				2	5	1	14	3	3	
NC	တ	But 1	But 1df ngs									Bui 1dings	ng s			2	S	1	14	4	4	
DITA U	9	Man-	Man-made									City				5	4	1	13	5	5	
EAVIT	7	London	u o							1		City				2	4	13	က	9	9	
ТЧІЯ	80																			æ	7	
Vasc	6																			6	80	
łТ	10																			10	6	
	n																			12	10	
	13																		_	15	11	
	13			:		ļ														16	12	
	14																			20	13	
	15																			25	14	
	Score	re ——	0	1	2	8	7	5	9		8	6	10 11	1 12	13	14	-	-				Γ
# of	# of Concepts	ts ——				2	2	2					2		2	2	we I	gure	weignted Average	erag		4.13

į																				2.72
			Score	0	1	23	ო	-	S.	9	1	8	6	10	11	12	13	14		Average
2	r 198		PxRxQ	0	1	83	က	4	2	9	æ	6	0t	12	, 15	16	20	25	1	
#005	14 December 1981	В	Score.	တ	2	ro	9	14	13	11										Weighted
Viewer:	Date: 1	Class:	Quality (Q)	1	1	1	8	2	4	က									<u></u>	
Ā	ã	ິບ	Rele- vance (R)	5	5	5	3	5	5	5									13 14	-
ı	1	1																	12 1	
	ate		Target																11	_
	Coordinate		10	m	6	et.		70											10	
	٥	2	Element	Buildings	Buildings	Peninsula	,	Buildings	But 1d1 ng s	E									6	
Hangö	ing:		<u>"</u>	But	E E	Per	Bay	Bui	But	Town	i								8	
	arget		Δ,	1	1	1	1	1	1	1									7	
	- of 1	ij	Α																9	
Target:	Method of Targeting:	Session:																	5	-
•		03																	7	-
ı	I	1	ept																3	-
			Transcript Concept																2	-
			scrip		les															~
15:23			Tran	1	t ang	N		92 26	đ)										0	
		Session:		Picture 1	Straight angles	Picture	River	Buildings	Man-made	London									Score	# of Concepts
Begin Time:	End Time:	Length of	Concept	1	81	က	4	ıc	9	7	8	6	10	11	12	13	14	15		of Cor
Ā	Ñ	Ţ	<u> </u>	·		!		N	DITAU	EAVIT	ТЧІЯ	ович	IT					•		#

	Target: Fernando Method of Targeting:	F Jan	getir	품 1	Noronha Coordinate			Viewer: Date:		#002 14 December 1981	198	
σ 	Session:			63				Class:] ["		
Transcript Concept		Q	<u>a</u>	Ele	Element of T	Target	Rele- vance (R)	. Quality (q)		Бсоге	PxRxQ	Score
			0							0	0	0
			٥							0	-	-
			1	Island			5	1		2	87	61
				Ocean			3	1		8	က	က
			0							0	4	*
			0							0	8	60
			0							0	9	9
											80	7
											6	x 0
											10	6.
											12	2
							,				15	11
								:			16	12
		_						_			20	13
											25	14
3 4 5	9	7	8	6	10 1	1 12	13 14		Mojo	Weighted	AVE	Average
	i							_) 		}		, 0

_	
•	
ς	
_	
٠,	
۸ ا	
<	
0	
Tablo	
4	
_0	
-	
-	

				П			- 		- γ												2.11
		ig g	Score		-	1 6	m	4	'n	9	,	. •	0	, 5	: =	12	:	2 ;	14		Average
•		Ser 16	PXRXQ		, ,		, m	4		9	α	•	9	22	2	16	5	2 6	67		Aveı
#00#		14 December 1981 B	Scor.		23	01 0	N	e E	9	2 5	3										Weighted
Viewer:			Quality	9	-		-1 6	1 10	,	, ,	,									Į	Wei
. T	2	៖ ជ	Rele-	,	4	7 6	2 r.	4	4	4	'									3 14	
Target: Punkahar ju	Method of Targeting: Coordinate	2	D P Element of Target] Bridge	-	-	1 Lakes	1 Town	1 Town	1 Town										5 6 7 8 9 10 11 12 1	1
me: 15:23		Session:	Transcript Concept	Picture 1	Straight angles	Picture 2	River	Buildings	Man-made	London										Score 0 1 2 3 4	epts 3 1 1 1
Begin Time:	End Time:	Length of	Concept Number	1	8	8	4	80	9	7	8	¢.	10	11	12	13	14	15		လ	of Concepts
7	7	7						NO	ITAU	EVAI	ТЧІЯ	SKASC	IT		1.	1			•		#

(201		
100+100		
7 7 7		
7,17		

Concept D Element of Target Tar
Data Element of Target T
D P Element of Target Mail Score Pubsic Pubsic Mail Ma
1 Huildings 5 1 5 0 1 0 1
1 River 4 4 12 1 0 1 0 2 2 2 3 1 2 3 4 4 4 4 4 4 1 2 2 2 2 3 3 1 3 4 5 5 1 5 5 5 9 6 6 6 6 6 6 6 6 6 6 9<
0 0 2 1 Buildings 5 1 5 3 4 1 Location 3 1 2 4 0 Thicknown 2 1 2 5 5 6 7 6 7 6 6 6 6 6 6 6 7 6 6 6 6 6 7 10
1 Buildings 5 1 5 3 4 1 Location 3 1 3 4 1 Church 2 1 2 5 5 0 Church 2 1 2 5 6 6 6 0 Buildings 5 1 5 8 8 8 9 9 9 10
1 Location 3 1 3 4 1 Church 2 1 2 5 0 Church 5 1 5 8 0 Church 5 1 5 8 0 Church Church 0 0 0 0 0 0 0 0 10 <t< td=""></t<>
1 Church 2 1 2 5 1 6 0 1 Buildings 5 1 5 8 0 1 0 0 9 9 0 1 0 0 10 1 City 5 4 13 12 1 River bank 1 1 1 16 1 River bank 1 1 16 1 20 20 25
0 0 6 1 Buildings 5 1 5 8 0 1 0 0 9 1 City 5 4 13 12 1 River bank 1 1 1 16 1 River bank 1 1 16 1 1 1 16 20 1 1 1 16 20 1 1 1 16 20 1 1 1 1 16 1 1 1 1 16 1 1 1 1 16 1 1 1 1 16 1 1 1 1 16 1 1 1 1 1 2 2 2 2 2 3 3 3 3 3 4 4 4 4 4 4 5 4 1 1 <
1 Buildings 5 1 5 8 0 0 0 9 1 City 5 4 13 1 River bank 1 1 1 1 River bank 1 1 16 1 20 20 25 25 25
0 0 0 10 1 C1ty 5 4 13 12 1 River bank 1 1 1 15 1 1 1 1 16 1 20 25
0 0 10 1 C1ty 5 4 13 12 1 River bank 1 1 1 15 1 1 1 1 16 1 1 1 16 20 1 1 1 25
1 C1ty 5 4 13 12 1 River bank 1 1 1 15 1 1 1 1 15 1 1 1 1 16 1 1 1 1 1 1 1 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 1 1 2 1 1 1 1 1 1 3 1 1 1 1 1 1 1 4 1 1 1 1 1 1 1 1 1 5 1<
1 River bank 1 1 1 15 16 20 25
20 25
-

,			
•			
:			

	Begin Time:	i i i i i i i i i i i i i i i i i i i	13	13:13				Target:	 	Hai	Hangö					Viewer:		#002			
-	End Time:							Metho	To p	Method of Targeting:	ting:	Coord	Coordinates			Date:	14	14 December 1981	er 19	81	
7	Length of		Session:		ļ			Session:	: ::			3				Class:		ш			
	Concept		I I	Transcript	1 9 11	oncept			<u> </u>	а,	· ·	Element	of Target	get	Rele- vance (R)	Quality (Q)		Score	PXRXQ	8core	
	1	Pic	Picture 1							1	Rocks	ks			8	2		9	0	0	
	2	Lan	id/wate	r int	Land/water interface	es es				1	Pen	Peninsula			2	4	-	13	1	-	
	8	R1d	Ridges				İ			-	Rocks	ks			က	7		9	8	8	
	4	Sma	Small ups and		downs					-1	Rocks	ks			က	2		9	က	က	
NO	S	Cold	P							-	Loc	Location			4	4	-	12	4	-	
ITAU	9	Pic	Picture 2							1	Chu	Church			87			~	٠,	80	
EAVI	7	Rocky	ky							1	Rocks	ks			m	2	-	=	9	9	
таія:	80	Pic	Picture 3							1	Slo	Sloping ro	rocks		ო	8	-	9	œ	1	
PANSO	6	Pic	Picture 4							•								0	6	20	
T	10	Frozen	zen								Loc	Location			4	4	-	12	01	6	
	=	Fee	Feeling c	of town	g					-	Town	п			S	2	-	1	12	10	
	12	C C	Cliff on water	water						1	\$10	Sloping rocks	cks		3	2		^ 9	15	11	
	13																		16	12	
	14																		20	13	
	15																	<u> </u>	25	14	
	Sc	Score	0	-	2	3	4	5 6	7	8	6	10	11	12 13	14						
of *	Concepts	pts	1	1	5		3 2	2						2 1		3	Weighted		Average	3e 2	.65

_
΄.
Q
-
nilod
+
Τ
C
c
Š
. ,
ď
۷
0
_
7
4
- 0
T . Y

Note Color Begin Time:		13:13			ı	F	Target:		Fe	Fernando de Noronha	de No	ronha		1	>	<u>;</u> '	#005	1			,	
Transcript Concept D P Element of Target Target	End Time:	- 1	İ	١		ı	*	ethod	of T	ırgeti] 12 12 13		oordi	nates	1	ā		4 Decem	per 1	181		ı
Transcript Concept D P Riceant of Target Mails Length of Sesat	go				1	ά	esst or	=		8				1	ပ	lass:	B				ı	
re d re mater face 1			Tran	scrip	t Conc	se pt			Α	۵,	<u> </u>	lement	of T	arget		Rele- vance (R)	Quality (Q)	Score	P X	11	<u> </u>	
reper interface 1	Pic	ture	1							-	H111	5 0.				4	2	7	<u> </u>		1	
upps and downs 1 Hills upps and downs 1 Hills 4 5 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 3 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Lar	Id/wa	ter to	nterfa	ace					1	Isla	pu				5	47	13	-			
ups and downs 1 HIIIS 4 3 12 4 4 re 2 1 Shoreline 3 3 3 3 3 3 3 6 7 7 7 7	R10	ges								1	H111	80				4	2	13	~			
re 2 1 Peak 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 7 7 7 9 8	SmS	[ps an	TWOD D	8					1	H111	xa				4	3	12				
re 2 1 Peak 3 3 3 3 3 3 5 6 7 In grand Angle A	ટિ	9								0								0	4			
re 3 1 Shoreline 3 2 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 7 7 7 8 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 9 8 7 8 7 8 7 8 7 8 9 8 7 8 9 8 7 9 8 7 9 9 8 7 9 </td <th>Pie</th> <td>ters</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>Peak</td> <td></td> <td></td> <td></td> <td></td> <td>က</td> <td>3</td> <td>8</td> <td></td> <td></td> <td></td> <td></td>	Pie	ters								1	Peak					က	3	8				
re 3 10 Hills A 3 10 8 7 ng of town ng of town ng of town ng of town on water 1 Hills by sea 4 5 13 16 10 1 Hills by sea 4 5 13 15 10 1 Hills by sea 4 5 13 15 11 1 Hills by sea 4 5 13 15 11 1 1 1 11 11 1 <th>Roc</th> <td>ky </td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>Shor</td> <td>eline</td> <td></td> <td></td> <td></td> <td>က</td> <td>7</td> <td>9</td> <td>•</td> <td></td> <td>_</td> <td></td>	Roc	ky								1	Shor	eline				က	7	9	•		_	
re 4 n n ng of town on water on water on water 0 In Hills by sea 4 5 13 16 11 0 In Hills by sea 4 5 13 15 11 0 In Hills by sea 4 5 13 15 11 12 0 1 Hills by sea 4 5 13 15 11 12 12 1<	P1c	tur			ļ ļ					1	11111	z a,				4	3	10				
ng of town ng of town ng of town ng of town ng of town ng of town ng of town ng of town ng of town ng of town ng of town ng of town Name of town ng of town 10 11 12 13 14 14 5 14 5 14 5 14 15 13 14 14 15 13 14 14 15 13 14 14 15 13 14 14 15 15 13 14 14 15 15 15 16 16 16 17 17 18 19 16 11 12 13 14 14 16	P1	tur.								1	Surf					3	1	ဧ				
ng of town on water on water 1 HIIIS by sea 4 5 13 15 11 1 HIIIS by sea 4 5 13 15 11 12 1 <th>T.</th> <td>ozen</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td>=</td> <td></td> <td></td> <td></td>	T.	ozen								0								0	=			
On water 1 Hills by sea 4 5 13 15 11 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 3 1 2 1<	Fe	eling	₩	OWD						0								0	7			
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Neighted Average 2 3 1 2 3 1 2 1 <th>ខ</th> <td>H</td> <td>1</td> <td>er</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td>H</td> <td></td> <td>sea</td> <td></td> <td></td> <td>4</td> <td>5</td> <td>13</td> <td></td> <td></td> <td></td> <td></td>	ខ	H	1	er						1	H		sea			4	5	13				
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Weighted Average 2 3 1 2 1 1 1 1 1 1 2 3 1 1 2 1 3 1 4 2 1 1 1 1 1 1 2 1 3 1 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1																			7			
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Meighted Average 2																			Ñ			
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 Weighted Average 2 3 1 2 1 1 1 1 1 1 2 3 1 2 3 1 2 1 1 1 1				·															74			
3 1 2 3 1 2 1 1 1 2 3	Sco	re	0	-	2	3	7	2	9	7	8	6	10		2	3	,	lo to be	1	3		
	deou	ts	٣	1	2	3	-	2	-	-	-		2		3			ne i gur		אבדם	20	2.49

	25 14		Weighted Average
		14	
		13	2
		12	3
		11	
		10	
		6	
		8	
		7	-
1		9	
		5	
		4	7
		m	
		2	
		-	m
		0	m
	15	Score	of Concepts

Table A-5 (continued)

_	Begin Time:	ime:	13:13	13		ļ		Target:	#	집	Punkharaja	raja					Viewer:	ii.	*	#002		
-	End Time:	=						Meth	Method of Targeting:	Targe	ting	-	Coordinates	ates			Date:		14 December 1981	iber 1	981	
_	Length of	of Session:	on:					Session:	en :			3					Class:	; is	æ			
	Concept		#	anscr	Transcript Concept	ncept			<u> </u>	Δ,		Element	ent of	Target	.	Rele- vance (R)		Que 1114	Score	P X B X Q	Bcore	
	H	Picture	ire l							-	Š	catter	Scattered lakes	6.8		ro		-	2	0	0	п
	94	Land/	Land/water interface	inte	rface					1	ŭ	catter	Scattered lakes	8.		5		4	13		-	1
	က	Ridges	82							1	I	Islands				4		2	7	63	2	
	4	Sma11	Small ups and downs	and do	SWD 8						H	Islands				4		4	12	က	8	
N	22	Cold								1	<u>د</u>	Location	g			4		4	12	4	*	<u> </u>
DITAU	9	Picture	ire 2								I	Islands				4		1	4	2	10	· .
EAVIN	7	Rocky								0									0	9	9	
Tqia	80	Picture	ire 3							1	I	Islands				4		1	4	80	7	1
SKAR	6	Picture	re 4							0									0	6	8	
ΙŢ	10	Frozen	ä							1	7	Location	g			4		4	12	10	6	(· · · · · · · · · · · · · · · · · · ·
	11	Feeling	ng of	town						1	T	Town				4		5	13	12	01	
	12	Cliff on	11 O	water						0									0	15	11	
	13										ų i									16	12	·
	14									-										20	13	
	15								_								-			25	14	1
	Š	Score	0	1-1	2	3	7	5	9	7	8	6	101	11 1	2 1	3 14						
÷.	of Concepts	epts	3	3	F-4		7			-	H			3	2			Weig	Weighted	Average	age	2.42

36

	Begin Time:		12:46	ا				Target:	<u>;</u>	I	Inverness			ļ	ı	V10	Viewer:	#005	22			
-	End Time:					{		Weth	Method of Targeting:	farget	ing:	Coordinates	nates		ı	Da	Date:	14 December 1981	mber	1981		
-	Length of	f Session:	 					Session:	on:		4				1	CI	Class:	В				
	Concept Number		Tra	Transcript Concept	pt Co	ncept			Δ	a.		Element of	of Tar	Target	K >	Nele- vance (R)	Quality (Q)	Score	PXRXQ	9 Bcore		
	1	Down jagged	agged							0								0	•	0	Π	
	61	Picture	e 1							1	Slop	Sloping bank	Jk			R	1	2		-	ī	
	က	Flat						:		1	Area					4	8	10	61	81	,	
	4	Water								1	River	H				4	4	12	က	က		
N	ĸ	Green								1	Grass	81	:			1	3	3	4	4	· ·	
DITAU	9	Picture	2							1	Rive	River banks	ž n			2	1	8	જ	8		
EAVIN	7	dn/umoq	a.							0								0	9	9		
TAIR	88	Deep valley	alley							0								0	∞	2	ı	
SVVSC.	6	Mcture	e 3						7										6	x 0	r	
IT.	10	Down								1	Banks	93:				2	-	7	10	6		
	11	Land/water interfaces	ater i	Interi	aces					1	River	ır				4	4	12	12	10	·····	
	12	Descend1 ng	d1 ng							1	Banks	8 3				2	1	2	15	11	-	
	13	Trees			-					1	Trees					77	2	6	16	13		
	14	Winding	g river	er.						1	River	Į.				4	5	13	50	13		
	15	Jungle								1	Trees	8				2	1	2	25	14		
	κά	Score	0	1	2	3	4	5	9	7	8 9	10	11	12	13	14	2	140°		0		
*	of Concepts	epts	3	5	2	2	2	2			1	П		2	1		E	na i Riican	- 1	שאבו שאב	1.21	_

Table A-5 (continued)

Begin	Begin Time:	12:46	46			•	Ter	Target:			Hangö					Vie	Viewer:	**	#005		
End Time:	: 98						Ket	Method of Targeting:	f Tar	getir	 	Coor	Coordinates	88		Date:	43	14 December 1981	ember	1981	
Length	Length of Session:	ton:					Ses	Session:				4				Cluss:	38:	В			
Concept	# . I	4	ransc	Transcript Concept	oncep					<u>a</u>) ii	Element of	f Target	get	Rele- vance (R)		Quality (Q)	Score	PydkyQ	& Score	
-	Домп	Down jagged	· ·							-	Slop	Sloping rocks	ks		3		2	9	0	0	TT
~	Pict	Picture 1							_		Slop	Sloping rocks	8		<u>ب</u>	-	8	9	-	-	
က	Flat								-	1	Вау				3	\vdash	-	6	63	23	,
4	Water	,								1	Bay				<u>۳</u>		4	9	<u>س</u>	6	
'n	Green									0						-			4	•	
9	Picture	ure 2						<u> </u>		1	Slopi	Sloping rocks	g ₂		က	<u> </u>	-		S.	ď	·
7	Down/up	dn/								0								6	9	9	
∞	Deep	Deep valley	A							0						-		0	•	-	_
6.	Picture	ire 3						2											6	∞	,
2	Down								1		Slopi	Sloping rocks	9		<u>د</u>	<u> </u>	_	8	2	6	_
=	Land	Land/water interfaces	inte	rfaces					1		Peninsula	sula			2	 	4	13	12	101	.
12	Desc	Descending							1		Slopt	Sloping rocks	, a		<u>س</u>				15	=	
13	Trees								1		Trees				2	<u> </u>	4		16	12	***************************************
14	Wind:	Winding river	Ver						-		Bay				3	-	-	· m	20	13	
13	Jungle	9									Trees				2	-	8	9	25	14	
0,1	Score	0		2	3	7	5	9	7	8	6	10	11	12 1	3 14						
∦ of Concepts	epts	3	5	2	7	3		3	1			-					We18	Weighted	Average	18e	1.38

Table A-5 (continued)

_	
-	
٠,	
- 2	
-	
2	
Polit i tuco	
- ''	
+	
- 7	
ς,	
c	
_	
~.	
A - 5	
_	
_	
a	
_	
- '-	
Tahle	
σ	

	Begin Time:	: ::	12:46			1		Target:	# #	Fern	Fernando de Noronha	Noro	nha		1	Λī	Viewer:	#005				ı
	End Time:							Meth	Method of Targeting:	Targe	ting:	Coo	Coordinates	es	ı	ā	Date:	14 De	14 December 1981	1981		
	Length of Session:	of Sessi	lon:					Session:	lon:			4				១	Class:	В				
	Concept Number		F	Transcript Co	ipt Cc	ncept			<u></u>	<u>a</u>		Blement of		Target		Rele- vance	Quality	Score	PxRxQ	txQ Score	- <u>*</u>	
	1	Down	Down jagged	þa					-	-	Hills	18				4	6	102			.	
	81	PIC	Picture 1							-	H1118	8				4	4	12		+-	Т.	
	က	Flat								•									"	2	Τ.,	
	4	Water	<u>,</u>							1	Ocean	<u> </u>				4	4	12		3	Τ_	
MO	80	Green	g							1	Vege	Vegetation	_			73	8	9		4	Τ_	
ITAU	9	Z 2	Mcture 2							1	Hills	so,				4	-	4	",	10 10		
EAVI	7	Down/up	dn/							1	HIIIS	80				4	-	4		9	1	
TAIR	80	Deep	Deep valley	*						0								0		8		
B V NEC	6	Pict	Mcture 3						2										<u> </u>	8	T	
T	10	Down	_								Slop	Sloping hills	118			4	٦,	4	2	6	<u> </u>	
	F	Land	Land/water interfaces	inte	rfaces					1	Island	nd				5	4	13	12	01 2		
	12	Desc	Descending			:				-	Slop	Sloping hills	118			4	1	4	15	2 11		
	13	Trees	øs.							-	Vege	Vegetation				2	8	6	16	173	T :	:
	14	Wind	Winding river	Ver						7	Осеви	=				4	61	2	8	0 13	T	
	15	Jungle	le							-	Vege	Vegetation	_			8	2	6	25	5 14	Τ-	
	Sc	Score	0	-	2	3	4	2	9	7	6 8	01		12	13	71]	}	7	
6	of Concepts	epts	2	4	-	2	3	2	1	-	2	-		2	-		We	Weighted	i I	Average	2	.22
																7						

Š,						1	1									Viewer:				
•	End Time:					1	Ä	Method of Targeting:	of Ta	rgeti	-	Coordinates	ates		1	Date:	14 Dece	December	1981	
<u>រ</u> ុ	Length of	f Session:				1	Se	Session:				4			-	Class:	~	В		
L	Concept		T.	Transcript	Concept	ept			۵	G,	E16	Element of	f Target	1	Rele- Vance (R)	Quality (Q)	Score	2	PXRXQ 80	Bcore
	1	Down jagged	peg							0							0	II	0	
	8	Picture	_							1	Islands	spu			4	က	10	<u> </u>	-	-
1	က	Flat								1	Area				4	3	10	L	2	2
1	4	Water								1	Lakes	m			က	4	13		e e	m
l	10	Green								0							0		4	
oitau	9	Picture	82							1	Lake	Lake bottoms	80		5	-	2		2	2
EAVT	7	Down/up								1	Lake	Lake bottoms	. on		က	-	2		9	9
TAIR	80	Deep valley	ley							1	Lake	Lake bottoms	υţ		22	٦	2		- 00	,
DSNA9	6	Picture	က						2										6.	80
т	01	Down								1	Lake	Lake bottoms	89		ß	1	5	-	10	6
L	=	Land/water interfaces	er 1n	nterfa	CeB	ļ				-	Lakes				5	4	13		12 1	10
1	22	Descending	29							1	Islands	gpı			4	1	4	7	15 1	11
.	13	Trees								-	Trees	m			8	4	7		16 12	8
1	14	Winding river	river							1	Сопи	Connected lakes	akes		າດ	81	6	- 20	20 13	
J	15	Jungle								-	Trees				7	1	2	N	25 14	4
	Score	0 0	-	2	3	4	5	9	7	8	6	10 11	1 12	13	14		1			
# of C	Concepts	ts 2	9	-1	2	3	7		-			2	2			Weighted		Average	age	2.21

Table A-5 (concluded)

Two types of overall assessment were chosen to emphasize the versatility of the evaluation procedure, (1) a simple rank ordering based on weighted average scores, and (2) a concept-by-concept, non-parametric, statistical technique. Table A-6 shows the results of the first method, the rank ordering. For convenience, the correct matches are underlined.

Table A-6

A RANK ORDERING OF WEIGHTED AVERAGES

Session/Target	Inverness	Hangö	Fernando de Noronha	Punkaharju
2	4.13*	2.72	0.22	2.11
3	1.12	2.65	2.49	2.42
4	1.21	1.38	2.22	2.21
1	1.53	2.52	2.36	0.90

^{*}Scores computed with non-uniform target relevance factors.

From Table A-6, we see that there were 3 first-place matches and 1 fourth-place match. The probability of obtaining 3 of 4 possible first-place matches from chance fluctuations alone are less than 0.051. The point spread between the best match (Inverness) and the worst match (Punkaharju) are in qualitative agreement with a subjective "first look" at the quality of the transcripts as well.

The second analysis determines the significance of the difference between the correct concept/target matches and a control set of matches. All concept/target matches that are not the correct matches act as an internal control set. To avoid any invalid assumptions as to the correct parent distribution, a non-parametric statistical test, the Mann-Whitney U-Test, was chosen for the analysis.

Approved For Release 2003/09/09: CIA-RDP96-00788R001800090001-4

It is beyond the scope of this report to review the details of the Mann-Witney U-Test; thus, only the results are quoted here. The probability that the set of correct concept/target matches is statistically indistinguishable from the control concept/target matches is less than 0.071.

There are a number of additional statistical procedures that could be used to analyze the results of this evaluation technique. The two cited above, however, represent a spread in complexity that demonstrates the internal consistency of the basic evaluation procedure. With only four similar RV sessions, the evaluation technique nearly reached the 0.05 level of statistical significance with each of the two statistical procedures, a result indicating a successful outcome with regard to the overall assessment procedure.

Appendix B

SUMMARY OF EVALUATION TECHNIQUE

Step	Action
1	Task coordinator defines the evaluation goal. He/she identifies target elements and assigns target element relevance factors as appropriate.
2	Analyst conceptualizes responses and prepares an RV assessment sheet for each response.
3	Repeated concepts are noted in the "D" column.
4	Copies of the sheets from Item 2 are made; one for each possible target used in the analysis.
	FOR EACH POSSIBLE RESPONSE/TARGET COMBINATION:
5	Identify a target element for each concept not marked in the "D" column; mark a 1 in the "p" column and write the target element and its relevance factor from Step 1 in the appropriate columns. (Write 0 and blanks if no element can be found.)
6	Using Table 3, assign a quality rating for all present (p = 1) concept/element combinations.
7	Compute the score as follows:
	a. Calculate relevance (R) X quality (Q)
	b. Convert R X Q to an integer between 0 and 14 using the conversion table provided.
8	Enter the number of concepts that obtained each possible score in the space provided.
9	Calculate the weighted average using:
	$A_{k} = 0.357 \left[\Sigma f_{j} \sqrt{f_{j}} S_{j} / \Sigma f_{j} \sqrt{f_{j}} \right]$
	where: S, is the score and f, is the number of that obtained score
	j = 0, 1, 2,, 14
10	For each response, rank order the weighted averages.

REFERENCES

- H. E. Puthoff and R. Targ, "A Perceptual Channel for Information Transfer over Kilometer Distances: Historical Perspective and Recent Research," <u>Proc. IEEE</u>, Vol. 64, No. 3, pp. 329-354 (March 1976).
- 2. C. Scott, "On the Evaluation of Verbal Material in Parapsychology: A Discussion of Dr. Pratt's Monograph," <u>J. Soc. Psych. Res.</u>, Vol. 46, No. 752, pp. 79-90 (June 1972).
- 3. R. Targ, H. E. Puthoff, and E. C. May, "State of the Art in Remote Viewing Studies at SRI," Technical Session on Research in Psychoenergetics, Proc. 1977 IEEE International Conf. on Cybernetics and Society, Washington, D.C. (September 20, 1977).
- 4. S. Siegel, Nonparametric Statistics, pp. 116-120 (McGraww-Hill, 1956).